




ASHTREE
VISION & SAFETY



Designers and manufacturers of mirrors and mirror arms

INTRODUCTION



The year 2017 marks the 40th anniversary of the founding of Ashtree. Starting life, as Ashtree Glass, the company was an importer and distributor of mirror glass and originally ran from a small room in a private house. It has now grown to be a company that exports around the globe and designs and develops new products in its own distinctive style.

Being family owned and managed frees Ashtree from the need to make products solely for the benefit of a balance sheet. We can take a gamble and develop something that seems right rather than playing it safe. Of course those gambles have to pay off but, with many years of experience behind us, they do more often than not.

Ashtree currently operates from a 5,000 square metre (53,000 square feet) factory and is both ISO 9001:2008 and ISO 14001:2004 approved.



Ashtree staff after being presented with the Queens Award for Enterprise. Two Ashtree directors later met the Queen at a Buckingham Palace reception for award winners.

For the part number index and the register of Ashtree "E" numbers, please turn over.

 <p>MAIN MIRRORS CLASS II, III</p>	<p>These are the main mirrors used by drivers of trucks, buses, construction equipment and most other vehicles.</p>	<p>PAGES 4 - 11</p>
 <p>WIDE ANGLE MIRRORS CLASS IV, V, VI</p>	<p>Class IV - Drivers wide angle mirrors Class V - Overdoor or kerb mirrors Class VI - Front view or over screen mirrors</p>	<p>PAGES 12 - 15</p>
 <p>POWERED & ADJUSTABLE MIRRORS</p>	<p>Ideal for machines where the driver is unable to adjust a mirror by hand.</p>	<p>PAGES 16 - 19</p>
 <p>UNBREAKABLE MIRRORS</p>	<p>Many of the Ashtree mirrors are tough, very tough. See how tough on Pages 20-23.</p>	<p>PAGES 20 - 23</p>
 <p>INTERIOR MIRRORS</p>	<p>Interior visibility solutions for many different types of vehicle.</p>	<p>PAGES 24 - 27</p>
 <p>SAFETY MIRRORS</p>	<p>Widely used on construction equipment, agricultural and materials handling equipment.</p>	<p>PAGES 28 - 31</p>
 <p>MIRROR GLASS</p>	<p>Replacement glasses for Ashtree mirrors and also those of other manufacturers.</p>	<p>PAGES 32 - 35</p>
 <p>HEATING ELEMENTS</p>	<p>Universal heating elements.</p>	<p>PAGE 35</p>
 <p>MIRROR ARMS</p>	<p>The ever increasing range of Ashtree mirror arms in diameters from 16-28mm.</p>	<p>PAGES 36 - 47</p>
 <p>LICENCE HOLDERS & ACCESSORIES</p>	<p>MOT Plate holders, height indicators and licence holders.</p>	<p>PAGE 48</p>
	<p>Retail Packaging</p>	<p>PAGE 49</p>

Current EU regulations require that newly homologated vehicles are now fitted with mirrors which have been tested to the latest EU directives: 2003/97/EC & 2005/27/EC. For this reason most of our older mirrors are being re-tested and have the 03* prefix, instead of the old 02* prefix. Both numbers are shown in this list.

"e" Number	Ashtree Part No.	Page No.	"e" Number	Ashtree Part No.	Page No.
e11 III 02*3704	M2000CE	4	e11 III 03*6644	M6101CE	8
e11 III 03*6624	M2000CE	4	e11 II 02*5803	M610CE	8
e11 III 03*6624	M2000CEA2	25	e11 II 03*6643	M610CE	8
e11 III 02*3704	M2000FE	4	e11 II 02*5510	M613CE	9
e11 III 03*6624	M2000FE	4	e11 II 03*6638	M613CE	9
e11 III 03*6624	M2000FEA2	25	e11 II 03*6125	M6261CE	9
e11 III 02*3704	M200CE	4	e11 II 03*6125	M626CE	9
e11 III 03*6624	M200CE	4	II 46R 048750	M640CEB	9
e11 III 02*3704	M200FE	4	e11 II 02*3710	M701CE	10
e11 III 03*6624	M200FE	4	e11 II 03*6625	M701CE	10
e11 IV V 03*6320	M2381CE	13	e11 II 02*3716	M702CE	10
e11 IV V 03*6320	M238CE	13	e11 II 03*6630	M702CE	10
e11 IV & V 03*6843	M250CE	13	e11 III 02*5572	M7141CE	10
e11 II 02*3721	M3101CE	5	e11 III 03*6640	M7141CE	10
e11 II 03*6634	M3101CE	5	e11 II 02*5511	M714CE	10
e11 IV 02*3720	M3102CE	13	e11 II 03*6639	M714CE	10
e11 IV 03*6633	M3102CE	13	e11 II 02*5511	M714FE	10
e11 V 02*3720	M3102CEA1	25	e11 II 03*6639	M714FE	10
e11 V 03*6633	M3102CEA1	25	e11 III 03*6589	M725CEB	10
e11 III 02*3722	M310CE	5	e11 II 02*3709	M800CE	11
e11 III 03*6635	M310CE	5	e11 II 03*6737	M800CE	11
e11 I 02*3719	M310CEA1	25	e11 II 02*5508	M807CE	11
e11 I 03*6632	M310CEA1	25	e11 II 03*6741	M807CE	11
e11 III 02*3722	M310FE	5	e11 II 03*5957	M820CE	11
e11 III 03*6635	M310FE	5	e11 II & III 03*6921	M8231CE	11
e11 I 02*3719	M310FEA1	25	e11 II 03*6645	M912CEH	17
e11 I 03*6632	M310FEA1	25	e11 III 03*6203	M9151CEH	17
e11 III 02*1008	M400CE	5	e11 II 03*6203	M915CEH	17
e11 II 02*3713	M4101CE	6	e11 II 03*6203	M916CEH	17
e11 II 03*6628	M4101CE	6	e11 II IV 03*6288	M9201CEH	17
e11 III 02*3712	M410CE	6	e11 II IV 03*6288	M920CEH	17
e11 III 03*6627	M410CE	6	e11 II IV 03*6641	M922CEH	17
e11 IV V 03*6404	M430CE	13	e11 II IV 03*6642	M9231CEH	18
e11 IV V 03*6404	M430CEA1	13	e11 II IV 03*6641	M923CEH	18
e11 IV V 03*6588	M435CE	14, 25	e11 II, III & IV 048173	M925CEH	18
e11 IV & V 03*8012	M4402CE	14	e11 II, III & IV 048173	M926CE	18
e11 II III 03*6619	M440CE	6		M927CEH	18
II 46R 048749	M450CE	6	e4 II 02*5914	MO225CE	5
IV 46R 048748	M455CE	14	e3 02*56323	MO613CE	9
e11 II 02*3703	M5000CE	7	e11 IV & V 03*6843	MX250CE	20
e11 II 03*6623	M5000CE	7	e11 IV V 03*6404	MX430CE	20
e11 III 02*3702	M5000FE	7	e11 IV V 03*6404	MX430CEBR	49
e11 III 03*6622	M5000FE	7	e11 IV V 03*6404	MX430CER	49
e11 II 02*3703	M500CE	6	e11 IV & V 03*8012	MX4402CE	21
e11 II 03*6623	M500CE	6	e11 IV & V 03*8012	MX4402CEBR	49
e11 III 02*3702	M500FE	6	e11 IV & V 03*8012	MX4402CER	49
e11 III 03*6622	M500FE	6	e11 II III 03*6619	MX440CE	21
e11 IV 02*5465	M504CE	14	e11 II III 03*6619	MX440CEBR	49
e11V 02*5465	M504CEA	14	e11 II III 03*6619	MX440CER	49
e11 III 02*5473	M5201CE	7	II 46R 048749	MX450CE	21
e11 III 03*6637	M5201CE	7	IV 46R 048748	MX455CE	21
e11 II 02*5464	M520CE	7	e11 VI 03*6447	MX550CE	15,22
e11 II 03*6636	M520CE	7	e11 VI 03*6447	MX550CEA	15
e11 II 03*6126	M528CE	7	e11 VI 03*6447	MX550CEA3	15
e11 II 03*6287	M545CE	7	e11 II III 03*6590	MX555CE	22
e11 II III 03*6590	M555CE	8	e11 IV V 03*6343	MX6351CE	15, 22
e11 VI 46R 048505	M5601CE	15,29	e11 VI 03*6343	MX635CE	15, 22
e11 II 02*3701	M600CE	8	II 46R 048750	MX640CEB	22
e11 II 02*3701	M600FE	8	e11 II III 03*6589	MX725CEB	23
e11 II 02*3711	M602CE	8	e11 II, III & IV 048173	MX925CEH	23
e11 II 03*6626	M602CE	8	e11 II, III & IV 048173	MX926CE	23
e11 III 02*5804	M6101CE	8			

Ashtree Part No.	Page No.	Ashtree Part No.	Page No.	Ashtree Part	Page No.	Ashtree Part No.	Page No.
G200FE - GW927CEH	32 - 35	M610CE	8	MX941B	29	S1400	43
M2000CE	4	M613CE	9	MX942	30	S1403	43
M2000CEA2	25	M6261CE	9	MX942A	30	S1406	43
M2000FE	4	M626CE	9	MX942B	30	S1500-64/44	44
M2000FEA2	25	M631	26	MX943	23, 26, 30	S1500-78/63	44
M200CE	4	M631CA	26	MX943A2	26	S1550-16/55	44
M200FE	4	M640CEB	9	MX948	23, 31	S1550-28/52	44
M235C	25	M701CE	10	MX948B	23, 31	S1550-33/52	44
M2381CE	13	M702CE	10	MX950-Stud	31	S1550-61/45	45
M238CE	13	M7141CE	10	MX950-Tunnel	31	S1550-66/37	45
M245C	27	M714CE	10	MX951-Stud	31	S1550-73/69	45
M245C-42	29	M714FE	10	MX951-Tunnel	31	S1550-76/45	45
M250CE	13	M725CEB	10	MX952	31	S1550-79/52	45
M250CEB	13	M800CE	11	PLH50	48	S1550-83/64	45
M3101CE	5	M807CE	11	PLH52	48	S1550-85/70	45
M3101CEB	5	M820CE	11	PLH60	48	S1550-86/52	45
M3102CE	13	M8231CE	11	PLH74D	48	S1551-16/50	45
M3102CEA1	25	M912CEH	17	PLH74S	48	S1601	46
M3102CEB	13	M9151CEH	17	PLH74T	48	S1602	46
M310CE	5	M915CEH	17	S1090	13	S1603	46
M310CEA1	25	M916CEH	17	S1091	15	S1604	46
M310CEB	5	M9201CEH	17	S1170	43	S1605	46
M310FE	5	M920CEH	17	S1170X	43	S1630	47
M310FEA1	25	M922CEH	17	S1172	43	S1650	47
M310FEB	5	M9231CEH	18	S1172X	43	S1700-64/44	47
M400CE	5	M923CEH	18	S1173	26, 27	S1750-16/55	47
M4101CE	6	M925CEH	18	S1186	38	S1750-61/45	47
M410CE	6	M926CE	18	S1187	38	S901	37
M430CE	13	M927CEH	18	S1190	38	S901-12	37
M430CEA1	13	MO225CE	5	S1191	38	S902	37
M430CEB	13	MO613CE	9	S1192	38	S903	37
M435CE	14, 25	MO613CE=Black	9	S1192s	38	S904	37
M435CEA2	26	MX250CE	20	S1193	39	S905	37
M435CE-Stud	14, 25	MX250CEB	20	S1194	38	Y2089	37, 38
M4402CE	14	MX430CE	20	S1195	39	Y2177	19
M4402CEB	14	MX430CEB	20	S1196	39	Y2242	46
M440CE	6	MX430CEBR	49	S1197	39	Y2610	35
M440CEB	6	MX430CER	49	S1198	39	Y2611	35
M450CE	6	MX4402CE	21	S1198s	39	Y2611-12	35
M450CEB	6	MX4402CEB	21	S1200	39	Y2613	35
M455CE	14	MX4402CEBR	49	S1201	39	Y2614	35
M455CEB	14	MX4402CER	49	S1202	43	Y2615	35
M5000CE	7	MX440CE	21	S1203	43	Y2616	35
M5000FE	7	MX440CEB	21	S1216	14, 43	Y2618	35
M500CE	6	MX440CEBR	49	S1217	43	Y2618-12	35
M500FE	6	MX440CER	49	S1222	39	Y2619	35
M504CE	14	MX450CE	21	S1230	27	Y2619-12	35
M504CEA	14	MX450CEB	21	S1350	40	Y2621	35
M5201CE	7	MX455CE	21	S1352	40	Y2621-12	35
M520CE	7	MX455CEB	21	S1360	40	Y2670-3	40, 46
M528CE	7	MX550CE	15, 22	S1361	40	Y2670-4	40, 46
M545CE	7	MX550CEA	15	S1370	40	Y2672	44
M545CEB	7	MX550CEA3	15	S1372	41	Y2675	19
M555CE	8	MX550CEB	15, 22	S1374	41	Y2676	19
M555CEB	8	MX555CE	22	S1375	41	Y2677-12	19
M5601CE	15, 29	MX555CEB	22	S1376	41	Y2677-24	19
M5601CEA	15, 29	MX6351CE	15, 22	S1377	41	Y2678	19
M560C-42	29	MX635CE	15, 22	S1378	41	Y2680	43
M560C	27	MX640CEB	22	S1381	41	Y3098	19
M600CE	8	MX725CEB	23	S1382	41	Y3107	19
M600CESW	8	MX925CEH	23	S1384	41	Y3123	47
M600FE	8	MX926CE	23	S1385	42	Y3124	47
M602CE	8	MX941	29	S1387	42		
M6101CE	8	MX941A	29	S1397	42		

MAIN MIRRORS - CLASS II & III



Class II & III mirrors are the required main mirrors for road going trucks and buses. They are also widely used on construction equipment, tractors and many other off highway applications.

The Ashtree range of products are used extensively by OEM manufacturers worldwide and also in the after market as replacement parts. They are designed and manufactured by Ashtree and most come with a universal fixing clamp that will fit mirror arms of either 10-20mm or 16-28mm.



<p>M200CE</p> <p>e11 III 03*6624</p> <p>Fitment 13-16mm</p> <p>Radius 1200mm</p> <p>Replacement Glass G200CE</p>		<p>M200CE</p> <p>e11 III 03*6624</p> <p>Fitment 10-20mm</p> <p>Radius 1200mm</p> <p>Replacement Glass G200CE</p>
<p>M200FE</p> <p>e11 III 03*6624</p> <p>Fitment 13-16mm</p> <p>Radius Flat</p> <p>Replacement Glass G200FE</p>		<p>M200FE</p> <p>e11 III 03*6624</p> <p>Fitment 10-20mm</p> <p>Radius Flat</p> <p>Replacement Glass G200FE</p>

M0225CE

e4 II 02*5914

Fitment: 20mm
Radius: 1200mm



M310CEB

e11 III 03*6635

Fitment: 16-28mm
Radius: 1200mm

M310CEB
Yellow

Replacement Glass
G410CE

M3101CEB

e11 II 03*6634

Fitment: 16-28mm
Radius: 1800mm

Replacement Glass
G410CE

Heated version available,
may be subject to minimum quantity

M310FEB

e11 III 03*6635

Fitment: 16-28mm
Radius: Flat

Replacement Glass
G410FE

M310CE

e11 III 03*6635

Fitment: 10-20mm
Radius: 1200mm
M310CE
Yellow

Replacement Glass
G410CE

M3101CE

e11 III 03*6634

Fitment: 10-20mm
Radius: 1800mm

Replacement Glass
G4101CE

M310FE

e11 III 03*6635

Fitment: 10-20mm
Radius: Flat

Replacement Glass
G410FE



M400CE

e11 III 02*1008

Fitment: 13-16mm
Radius: 1200mm

Replacement Glass
G400CE

Heated version available,
may be subject to minimum quantity

M410CE

e11 III 03*6627

Fitment 16-22mm **Radius** 1200mm

Replacement Glass
G410CE



252mm

168mm

M4101CE

e11 III 03*6628

Fitment 16-22mm **Radius** 1800mm

Replacement Glass
G4101CE

M450CE

II 46R 048749

Fitment 10-20mm **Radius** 1200mm

Replacement Glass
G450CE



232mm

176mm

M450CEB

II 46R 048749

Fitment 16-28mm **Radius** 1200mm

Replacement Glass
G450CE



M500CE

e11 II 03*6623

Fitment 13-16mm **Radius** 1800mm

Replacement Glass
G500CE



260mm

160mm

M440CE

e11 II & III 03*6619

Fitment 10-20mm **Radius** 1200mm **M440CE Yellow**

Replacement Glass
G410CE



245mm

162mm

M440CEB

e11 II & III 03*6619

Fitment 16-28mm **Radius** 1200mm **M440CEB Yellow**

Replacement Glass
G410CE



M5000CE

e11 III 03*6623

Fitment: 10-20mm
Radius: 1800mm

Replacement Glass: G500CE



160mm

260mm

M5000FE

e11 III 03*6622

Fitment: 10-20mm
Radius: Flat

Replacement Glass: G500FE



215mm

296mm

M528CE

e11 III 03*6126

Fitment: 16-28mm
Radius: 1800mm

Replacement Glass: G528CE

M545CE

e11 II 03*6287

Fitment: 10-20mm
Radius: 1800mm

Replacement Glass: G545CE



200mm

259mm

M545CEB

e11 II 03*6287

Fitment: 16-28mm
Radius: 1800mm

Replacement Glass: G545CE

M520CE

e11 II 03*6636

Fitment: 16-22mm
Radius: 1800mm

Replacement Glass: G520CE



186mm

308mm

M5201CE

e11 III 03*6637

Fitment: 16-22mm
Radius: 1200mm

Replacement Glass: G5201CE

Heated version available,
may be subject to minimum quantity

M555CE

e11 II & III 03*6590

Fitment 10-20mm
Radius 1200mm
M555CE Yellow
Replacement Glass G555CE



276mm

M555CEB

e11 II & III 03*6590

Fitment 16-28mm
Radius 1200mm
M555CEB Yellow
Replacement Glass G555CE



185mm

M602CE

e11 II 03*6626

Fitment 16-22mm
Radius 1800mm
Replacement Glass G602CE



345mm

227mm

Heated version available, may be subject to minimum quantity

M600CE

e11 II 02*3701

Fitment 16-22mm
Radius 1800mm
Replacement Glass G600CE



318mm

M600FE


e11 II 02*3701

Fitment 16-22mm
Radius Flat
Replacement Glass G600FE

M600CESW

e11 II 02*3701

Fitment 16-22mm
Radius 1800mm
Replacement Glass G600CE



220mm

Heated version available, may be subject to minimum quantity

M600CESW version is supplied complete with a handwheel

M610CE

e11 II 03*6643

Fitment 16-28mm
Radius 1800mm
M610CE Yellow
Replacement Glass G610CE



325mm

195mm

Heated version available, may be subject to minimum quantity

M6101CE

e11 III 03*6644

Fitment 16-28mm
Radius 1200mm
Replacement Glass G6101CE

M626CE

e11 II 03*6125

Fitment
16-28mm

Radius
1800mm

Replacement Glass
G626CE

M6261CE

e11 III 03*6125

Fitment
16-28mm

Radius
1200mm

Replacement Glass
G6261CE

M613CE

e11 II 03*6638

Fitment
16-22mm

Radius
1800mm

Replacement Glass
G613CE



Heated version available,
may be subject to minimum quantity

M640CEB

II 46R 048750

Fitment
16-28mm

Radius
1200mm

Replacement Lens
G640CE



M0613CE

e3 II 02*56323

Fitment
16-19mm

Radius
1800mm

Replacement Glass
G613CE

M0613CE-Black

e3 II 02*56323

Fitment
16-19mm

Radius
1800mm

Replacement Glass
G613CE



Heated version available,
may be subject to minimum quantity

M701CE

e11 II 03*6625

Fitment
16-22mm

Radius
1800mm

Replacement Glass
G701CE



Heated version available,
may be subject to minimum quantity

M714CE

e11 II 03*6639

Fitment
16-28mm

Radius
1800mm

M714CE
Yellow

Replacement Glass
G714CE



M7141CE

e11 II 03*6640

Fitment
16-28mm

Radius
1200mm

M7141CE
Yellow

Replacement Glass
G7141CE

M714FE

e11 II 03*6639

Fitment
16-28mm

Radius
Flat

Replacement Glass
G714FE

Heated version available,
may be subject to minimum quantity

M725CEB

e11 II & III 03*6589

Fitment
16-28mm

Radius
1200mm

M725CEB
Yellow

Replacement Glass
G725CE



Heated version available,
may be subject to minimum quantity

M702CE

e11 II 03*6630

Fitment
16-22mm

Radius
1800mm

M702CE
Yellow

Replacement Glass
G702CE



Heated version available,
may be subject to minimum quantity

M820CE

e11 II 03*5957

Fitment
16-28mm

Radius
1800mm

Replacement Glass
G820CE



M800CE

e11 III 03*6737

Fitment
16-28mm

Radius
1800mm

Replacement Glass
G800CE



*Heated version available,
may be subject to minimum quantity*

M8231CE

e11 II & III 03*6921

Fitment
16-28mm

Radius
1200mm

Replacement Glass
G8231CE



M807CE

e11 III 03*6741

Fitment
16-22mm

Radius
1800mm

Replacement Glass
G807CE



WIDE ANGLE MIRRORS - CLASS IV, V & VI



- Class IV - Drivers Wide Angle Mirror
- Class V - Overdoor / Kerb Mirror
- Class VI - Overscreen or Front View Mirror



There are 3 classes of wide angle mirror and they each fulfil a different role. The newest, class VI, mounts over the drivers screen so the front of the truck can be seen. All the children in the photo below were completely invisible to the driver without a Class VI mirror.



Ashtree wide angle mirrors are universal. Class IV approved M250CEB-Yellow, the top mirror on the image below, will fit mirror arms of 16-28mm in diameter.



Wide angle mirrors aren't limited to use on trucks only, they are used in different applications to improve safety. The class IV & V approved M430CE can be seen above mounted onto a piece construction equipment. It is being used to help meet a visibility standard.

M238CE

e11 IV & V 03*6320

Fitment 16-28mm **Radius** 450mm

Replacement Glass
G238CE

M2381CE

e11 IV & V 03*6320

Fitment 16-28mm **Radius** 300mm

Replacement Glass
G2381CE



193mm
Heated version available, may be subject to minimum quantity



252mm

168mm
Heated version available, may be subject to minimum quantity

M3102CE

e11 IV 03*6633

Fitment 10-20mm **Radius** 450mm

Replacement Glass
G4102CE

M3102CEB

e11 IV 03*6633

Fitment 16-28mm **Radius** 450mm

Replacement Glass
G4102CE

M430CE

e11 IV 03*6404

Fitment 10-20mm **Radius** 300mm

Replacement Glass
G430CE



155mm

240mm
Heated version available, may be subject to minimum quantity

M430CEB

e11 IV 03*6404

Fitment 16-28mm **Radius** 300mm

Replacement Glass
G430CE



M250CE

e11 IV & V 03*6843

Fitment 10-20mm **Radius** 300mm **M250CE Yellow**

Replacement Glass
G250CE



208mm

M250CEB

e11 IV & V 03*6843

Fitment 16-28mm **Radius** 300mm **M250CEB Yellow**

Replacement Glass
G250CE



M430CEA1

e11 IV 03*6404

Radius 300mm

Replacement Glass
G430CE

The M430CEA1 comes complete with the S1090 arm.



Arm with 2 x 6mm slots for 40-60mm centres

S1090

Arm Only

Heated version available, may be subject to minimum quantity

M435CE

e11 IV & V 03*6588

Fitment \varnothing 10-20mm Radius 300mm

Replacement Glass G435CE



M435CE-Stud

e11 IV & V 03*6588

Fitment M6 Stud Radius 300mm

Replacement Glass G435CE



M455CE

IV 46R 048748

Fitment \varnothing 10-20mm

Replacement Glass G455CE



M455CEB

IV 46R 048748

Fitment \varnothing 16-28mm

Replacement Glass G455CE



M4402CE

e11 IV & V 03*8012

Fitment \varnothing 10-20mm Radius 450mm

Replacement Glass G4402CE



M4402CEB

e11 IV & V 03*8012

Fitment \varnothing 16-28mm Radius 450mm

Replacement Glass G4402CE



M504CE

e11 IV 02*5465

Fitment \varnothing 16-22mm Radius 450mm

Replacement Glass G504CE

M504CEA

e11 V 02*5465

Radius 450mm

Replacement Glass G504CE

M504CEA is the M504CE mirror complete with the S1216 arm



Arm with 2 x 7mm slots at 75-80mm centres

S1216

Arm only

MX550CE

e11 VI 03*6447

Fitment \varnothing 10-20mm Radius 250mm



Unbreakable lens

MX550CEA

e11 VI 03*6447

Radius 250mm

The MX550CEA comes complete with the S1091 arm. This is 440mm long and is 19mm in diameter. The clamp will fit arms of 16-28mm. This arm is available as a separate component.

S1091

Arm only



MX550CEA3

e11 VI 03*6447

Radius 250mm



Unbreakable lens. Universal class VI mirror kit complete with arm and mounting bracket suitable for vertical or horizontal fitment.



M5601CE

e11 VI 46R 048505

Fitment \varnothing 10-20mm Radius 300mm

M5601CEA

e11 VI 46R 048505

Fitment \varnothing 10-20mm Radius 300mm

"B" versions of both mirrors are available with a clamp that fits 16-28mm diameter mirror arms

The M5601CEA comes complete with the S1091 arm. This is 440mm long and is 19mm in diameter. The clamp will fit arms of 16-28mm. This arm is available as a separate component.

S1091

Arm only



MX635CE

e11 VI 03*6343

Fitment \varnothing 10-20mm Radius 225mm

MX6351CE

e11 IV & V 03*6343

Fitment \varnothing 10-20mm Radius 330mm



Unbreakable lens

"B" versions of both mirrors are available with a clamp that fits 16-28mm diameter mirror arms


POWERED & ADJUSTABLE MIRRORS



Powered mirrors are popular on vehicles and machines where it's not practical for the driver to adjust a standard mirror or where two different fields of visibility are required. Ashtree have both single and twin lens mirrors for this purpose. Part number M926CE, seen left and below, can be used on construction machinery and also small trucks and buses.



These images show what it can do on construction equipment but the field of visibility obtained on a bus can be seen on page 19.



M912CEH

e11 II 03*6645

Fitment \varnothing 16-28mm Radius 1800mm

Replacement Glass
G714CEHc



Electrically adjustable and heated



M920CEH

e11 II IV 03*6288

Fitment \varnothing 16-28mm Radius 1800mm Main Lens
Radius 300mm Wide Angle Lens

Replacement Glass G714CEHc Replacement Glass G2371CEHc

M9201CEH

e11 II IV 03*6288

Fitment \varnothing 16-28mm Radius 1200mm Main Lens
Radius 300mm Wide Angle Lens

Replacement Glass G7141CEHc Replacement Glass G2371CEHc

M915CEH

e11 II 03*6203

Fitment \varnothing 16-28mm Radius 1800mm

Replacement Glass
G714CEHc



M915CEH & M9151CEH
Electrically adjustable & heated

M9151CEH

e11 III 03*6203

Fitment \varnothing 16-28mm Radius 1200mm

Replacement Glass
G7141CEHc

M916CEH

e11 II 03*6203

Fitment \varnothing 16-28mm Radius 1800mm

Replacement Glass
G714CEHc

M916CEH
Hand adjustable & heated

M922CEH

e11 II IV 03*6641

Fitment \varnothing 16-28mm Radius 1800mm Main Lens
Radius 300mm Wide Angle Lens

Replacement Glass G536CEHc Replacement Glass G2231CEHc



Electrically adjustable and heated

M923CEH

e11 II IV 03*6641

Fitment 16-28mm **Radius** 1800mm **Main Lens**

Radius 300mm **Wide Angle Lens**

Replacement Glass
G536CEHc G2231CEHc

M9231CEH

e11 II IV 03*6642

Fitment 16-28mm **Radius** 1200mm **Main Lens**

Radius 300mm **Wide Angle Lens**

Replacement Glass
G5361CEHc G2231CEHc



M927CEH

Fitment 16-28mm **Radius** 1200mm

Replacement Glass
GW927CEH

384mm

400mm

184mm

210mm
Both versions are hand adjustable & heated

Available Autumn 2017

M926CE

E11 II, III & IV 048173

Fitment 16-28mm **Radius** 1200mm **Main Lens**

Radius 300mm **Wide Angle Lens**

M926CE Yellow

M925CEH

E11 II, III & IV 048173


Fitment 16-28mm **Radius** 1200mm **Main Lens**

Radius 300mm **Wide Angle Lens**



384mm

184mm



This image shows the extra visibility we got when the M926CE/M925CEH was mounted onto a wheeled loader. Visibility right up to the rear axle was possible, this is the area that most standard mirrors do not pick up.

M926CE - Manually adjustable.

M925CEH manually adjustable and heated. Requires the Y3098 cable shown on page 19.

M925CEH - power adjustable. Requires 2 x Y3107 cables shown on page 19.

Y2677-24

24 volt

Y2677-12

12 volt



4 way mirror adjustment switch (both sides). Complete with 2 metres of cable. Dimensions: 47mm x 38mm to fit hole 44mm x 33mm

Y2678

12-24 volt switch to operate 2 x twin lens mirrors, with 2 metre cable



Y3098

2 pin male plug with 1.5m wire for use with M926CEH mirrors



Y3107

6 pin male round plug with 3.5m wire for use with M925CEH mirrors



Y2675

6 way plug with 2 metre cable



Y2676

2 way plug with 2 metre cable ("L" connection)



Y2177

2 way plug with 2 metre cable straight connection)



The image to the left shows the drivers view using one of the most popular mirrors on UK buses. The road cones show the outer limits of the drivers visibility. Some other mirrors used are even smaller than this, further restricting visibility.

When the Ashtree Cyclesafe twin lens mirror is fitted we have a completely different view. The invisible cyclist is now fully visible, as is the kerb and the door way.



UNBREAKABLE MIRRORS



Ashtree unbreakable mirrors are trusted and used around the world in many different applications. As can be seen on the image above, on the left, they can withstand serious product testing by the armed forces. The image (above) to the right shows the sleek design of the mirrors for road going applications.

As with all Ashtree products universal fitment is something we look to design into the product. Mirrors will fit either 10-20mm or 16-28mm mirror arms depending on the clamp chosen.

MX250CE

e11 IV & V 03*6843

Fitment: 10-20mm | Radius: 300mm | MX250CE Yellow

Replacement Lens: GX250CE

MX250CEB

e11 IV & V 03*6843

Fitment: 16-28mm | Radius: 300mm | MX250CEB Yellow

Replacement Lens: GX250CE

MX430CE

e11 IV 03*6404

Fitment: 10-20mm | Radius: 300mm

Replacement Lens: GX430CE

MX430CEB

e11 IV 03*6404

Fitment: 16-28mm | Radius: 300mm

Replacement Lens: GX430CE

These products are now available in retail packaging, please see inside back cover.

Heated version available, may be subject to minimum quantity

MX4402CE

e11 IV & V 03*8012

Fitment 10-20mm **Radius** 450mm

Replacement Lens
GX4402CE



245mm

162mm

MX4402CEB

e11 IV & V 03*8012

Fitment 16-28mm **Radius** 450mm

Replacement Lens
GX4402CE



232mm

176mm

MX450CE

II 46R 048749

Fitment 10-20mm **Radius** 1200mm

Replacement Glass
GX450CE

MX450CEB

II 46R 048749

Fitment 16-28mm **Radius** 1200mm

Replacement Glass
GX450CE

These products are now available in retail packaging, please see inside back cover.

MX455CE

IV 46R 048748

Fitment 10-20mm

Replacement Glass
GX455CE



161mm

246mm

MX455CEB

IV 46R 048748

Fitment 16-28mm

Replacement Glass
GX455CE

MX440CE

e11 II & III 03*6619

Fitment 10-20mm **Radius** 1200mm **MX440CE** Yellow

Replacement Lens
GX440CE



245mm

162mm

MX440CEB

e11 II & III 03*6619

Fitment 16-28mm **Radius** 1200mm **MX440CEB** Yellow

Replacement Lens
GX440CE

These products are now available in retail packaging, please see inside back cover.

MX550CE

e11 VI 03*6447

Fitment 10-20mm	Radius 250mm
--------------------	-----------------



210mm

293mm

Unbreakable lens

MX550CEB

e11 VI 03*6447

Fitment 16-28mm	Radius 250mm
--------------------	-----------------



307mm

307mm

Unbreakable lens

"B" versions of both mirrors are available with a clamp that fits 16-28mm diameter mirror arms

MX635CE

e11 VI 03*6343

Fitment 10-20mm	Radius 225mm
--------------------	-----------------

MX6351CE

e11 IV & V 03*6343

Fitment 10-20mm	Radius 330mm
--------------------	-----------------

MX640CEB

II 46R 048750

Fitment 16-28mm	Radius 1200mm
--------------------	------------------

Replacement Lens GX640CE



316mm

211mm

MX555CE

e11 II & III 03*6590

Fitment 10-20mm	Radius 1200mm	MX555CE Yellow
--------------------	------------------	-------------------

Replacement Lens GX555CE



276mm

185mm

MX555CEB


e11 II & III 03*6590

Fitment 16-28mm	Radius 1200mm	MX555CEB Yellow
--------------------	------------------	--------------------

Replacement Lens GX555CE

MX943

Fitment \varnothing 10-20mm
Radius 100mm



MX725CEB

e11 II & III 03*6589

Fitment \varnothing 16-28mm
Radius 1200mm
MX725CEB Yellow

Replacement Lens
GX725CE



MX926CE

E11 II, III & IV 048173

Fitment \varnothing 16-28mm
Radius 1200mm
Main Lens
Radius 300mm
Wide Angle Lens

MX925CEH

E11 II, III & IV 048173


Fitment \varnothing 16-28mm
Radius 1200mm
Main Lens
Radius 300mm
Wide Angle Lens



Heated version available,
may be subject to minimum quantity

MX948

Fitment \varnothing 10-20mm
Radius 150mm



MX948B

Fitment \varnothing 16-28mm
Radius 150mm

MX926CE - Manually adjustable
MX926CEH-manually adjustable but heated mirror-requires the Y3098 cable shown on page 19.
MX925CEH-electrically powered mirror-requires 2 x Y3107 cable shown on page 19.

INTERIOR MIRRORS



Interior mirrors can be used to help drivers and operators gain enhanced visibility where danger may be present. The Ashtree range covers many applications. There are wide angle mirror like the MX943, see images above. On materials handling and construction equipment these are widely used as they give the operator almost 180 degrees of vision. Buses and other vehicles tend to favour smaller radii of curvature as they don't have the same visibility requirements. Ashtree also have observation mirrors that can be mounted onto handrails on buses so that drivers can observe the inside of the vehicle, especially useful if the bus has a second set of doors. Part number S1173 on pages 26 and 27 can be used to mount almost any mirror onto a handrail.



M2000CEA2

e11 III 03*6624

Radius
1200mm

Replacement Glass
G200CE

M2000FEA2

e11 III 03*6624

Radius
Flat

Replacement Glass
G200FE



Mounting bracket has two M6 slots that fasten at 40-60mm centres



168mm

252mm

Mounting bracket has two 7mm slots at 75-80mm centres

M310CEA1

e11 I 03*6632

Radius
1200mm

Replacement Glass
G410CE

M310FEA1

e11 I 03*6632

Radius
Flat

Replacement Glass
G410FE

M3102CEA1

e11 V 03*6633

Radius
450mm

Replacement Glass
G4102CE

M235C

Fitment
M6 Stud
Radius
200mm



145mm

113mm



118mm

150mm

M435CE

e11 IV & V 03*6588

Fitment
10-20mm
Radius
300mm

Replacement Glass
G435CE

M435CE-Stud

e11 IV & V 03*6588


Fitment
M6 Stud
Radius
300mm

Replacement Glass
G435CE

MX943

Fitment
10-20mm

Radius
100mm



M435CEA2

e11 IV & V 03*6588

Radius
300mm



Mounting bracket has two M6 slots that fasten at 40-60mm centres

MX943A2

Radius
100mm



Mounting bracket has two M6 slots that fasten at 40-60mm centres

M631CA

with S1173 mirror arm

Radius
1800mm

M631

Mirror head only

Fitment
10-20mm

Radius
1800mm



S1173

Arm and bracket only



Mounts onto 35mm diameter poles

M245C

Mirror only

Fitment 10-20mm	Radius 450mm
---------------------------	------------------------

S1173

Arm and bracket only



S1173 arms can be used if this mirror is to be used as an observation mirror on buses.

Mounts onto 35mm diameter poles

M560C

Mirror only

Fitment 10-20mm	Radius 450mm
---------------------------	------------------------

S1173

Arm and bracket only



S1173 arms can be used if this mirror is to be used as an observation mirror on buses.

Mounts onto 35mm diameter poles



S1230

This mirror arm can be used for mounting mirrors onto a horizontal or vertical surface. Adjust the arm to the correct angle and then tighten the bolt in the bracket to create a stable mounting point for your mirror.



SAFETY MIRRORS



Safety mirrors are now widely used on all different types of machine and application. At one time any mirror would do but these days a more considered approach is taken. Stricter visibility standards, designed to reduce and prevent accidents, mean better quality solutions are now required. Ashtree products are specially designed to meet these stricter requirements.



Ashtree mirrors are used on machinery such as loading shovels, agricultural machinery, telehandlers, truck mounted fork lifts and materials handling equipment.

M245C-42

Fitment 25-42mm
Radius 450mm



This mirror is available with different radii of glass - may be subject to minimum quantities.



MX941

Unbreakable lens

Fitment 13-16mm

Radius 450mm

MX941A

Unbreakable lens

Radius 450mm

MX941B

Unbreakable lens

Fitment 16-28mm

Radius 450mm

MX941A
Complete with arm that has 2 x 7mm slots at 75-80mm centres



MX941B
complete with clamp for fitment to 16-28mm diameter arms

M560C-42

Fitment 25-42mm
Radius 450mm



This mirror is available with different radii of glass - may be subject to minimum quantities.



M5601CE

e11 VI 46R 048505

Fitment 10-20mm

Radius 300mm

M5601CEA

e11 VI 46R 048505

Fitment 10-20mm

Radius 300mm

"B" versions of both mirrors are available with a clamp that fits 16-28mm diameter mirror arms

MX942

Unbreakable lens

Fitment 13-16mm Radius 100mm



MX942B

Unbreakable lens


Fitment 16-28mm Radius 100mm



MX943

Unbreakable lens

Fitment 10-20mm Radius 100mm



MX942A

Radius 100mm



Complete with arm that has 2 x 7mm slots at 75-80mm centres

MX948

Unbreakable lens

Fitment	Radius
10-20mm	150mm

MX948B

Unbreakable lens

Fitment	Radius
16-28mm	150mm



MX950-Tunnel

Unbreakable lens

Fitment	Radius
19mm Stem	125mm - 185mm

MX951-Tunnel

Unbreakable lens

Fitment	Radius
19mm Stem	125mm - 185mm

MX950-Stud


Unbreakable lens

Fitment	Radius
3/8" UNC STUD	125mm - 185mm

MX951-Stud

Unbreakable lens

Fitment	Radius
3/8" UNC STUD	125mm - 185mm



MX952

Unbreakable lens

Fitment	Radius
Twin Stud at 115mm	200mm



MX950B and MX951B versions come complete with clamp for fitment to 16-28mm diameter mirror arms



After a few years of simply importing and distributing glasses Ashtree made a decision to open a dedicated glass cutting department in 1982. It's quite a grand title but at the time it was only one person who cut the glass using manual glass cutting equipment. It's all changed since then. We now have three automatic glass cutting machines as well as a semi automatic machine for cutting deep radius glass.

After the glass has been cut it is shatter proofed to European Union standards using the automated glass taping machine that we had specially built for the job.

The following pages show the standard range of glasses that we keep in stock. We can also cut glass to customers requirements, subject to minimum quantities.

G200CE	177 x 125	ASHTREE M2000CE / M200CE / M2000CEA2 / Universal 7 inch x 5 inch	Convex (1200r)
G200FE	177 x 125	ASHTREE M2000FE / M200FE / M2000FEA2 / Universal 7 inch x 5 inch	Flat
G209CE	203 x 130	ASHTREE M0209CE / Land Rover (new model) / Sherpa / Leyland DAF 200 / 400	Convex (1200r)
G2231CEHc	185 x 95	ASHTREE M922CEH / M922FEH / M923CEH / M923FEH	Convex (300r)
G223CEHc	185 x 95	ASHTREE M902CEH / M9021CEH / M902FEH / M903CEH / M9031CEH / M903FEH	Convex (400r)
GW232CE	174 X 129	ASHTREE M925CEH/M926CE wide angle mirror lens with backplate	Convex (300)
G2371CEHc	173 X 176	ASHTREE M920CEH / M9201CEH	Convex (300r)
G2381CE	174 X 174	ASHTREE M2381CE	Convex (300r)
G2382CE	174 X 174	ASHTREE M2382CE	Convex (200r)
G238CE	174 x 174	ASHTREE M238CE	Convex (400r)
G250CE	198 x 198	ASHTREE M250CE/M250CEB	Convex (300r)
G400CE	234 x 155	ASHTREE M400CE / DESMO 355	Convex (1200r)
G4101CE	236 x 152	ASHTREE M3101CE / M3101CEB / M4101CE	Convex (1800r)
G4102CE	236 x 152	ASHTREE M3102CE / M3102CEA1 / M4102CE	Convex (400r)
G410CE	236 x 152	ASHTREE M310CE / M310CEB / M310CEA1 / M410CE / M440CE / M440CEB / M440CEA2	Convex (1200r)
G410FE	236 x 152	ASHTREE M310FE / M310FEB / M310FEA1	Flat
G422CE	229 x 147	LDV Convoy (left hand)	Convex (1800r)
G423CE	230 x 150	LDV Convoy (right hand)	Convex (1800r)
G430CE	235 x 150	ASHTREE M430CE / M430CEB / M430CEA1 / M430CESW	Convex (300r)
GW433CE	236 x 172	ASHTREE M925CEH/M926CE large mirror lens with backplate	Convex (1200)
G435CE	210 x 112	ASHTREE M435CE / M435CEA2	Convex (300r)
G4402CE	236 x 151	ASHTREE M4402CE/M4402CEB	convex (450r)
G450CE	226 x 170	ASHTREE M450CE / M450CEB	Convex (1200)
G455CE	226 x 170	ASHTREE M455CE / M455CEB	Convex (300r)
G500CE	253 x 153	ASHTREE M5000CE / M500CE / Universal 10" x 6"	Convex (1800r)
G500FE	253 x 153	ASHTREE M5000FE / M500FE / Universal 10" x 6"	Flat
G504CE	250 x 150	ASHTREE M504CE / M504CEA / Scania	Convex (400r)
G508CE	253 x 151	Street sweepers / Renault Master / Traffic & 50	Convex (1800r)
G5201CE	291 x 170	ASHTREE M5201CE	Convex (1200r)
G520CE	291 x 170	ASHTREE M520CE / Mercedes / Duple	Convex (1800r)
G528CE	281 x 201	ASHTREE M528CE / John Deere	Convex (1800r)
G530CE	271 x 193	John Deere	Convex (1800r)
G5361CEHc	255 x 170	ASHTREE M9021CEH / M9031CEH / M9221CEH / M9231CEH	Convex (1200r)
G536CEHc	255 x 170	ASHTREE M902CEH / M903CEH / M922CEH / M923CEH	Convex (1800r)
G545CE	248 X 190	ASHTREE M545CE / M545CEB	Convex (1800r)
G555CE	255 X 175	ASHTREE M555CE / M555CEB / M555CEA2	Convex (1200r)
G600CE	300 x 210	ASHTREE M600CE / M600CES / M600CESW / Volvo / Scania	Convex (1800r)
G600FE	300 x 210	ASHTREE M600FE / M600FES	Flat
G601CE	337 x 193	ASHTREE M601CE / M601CES / Raydyot CM500	Convex (1800r)
G602CE	331 x 214	ASHTREE M602CE / Bedford / Seddon Atkinson / Foden / ERF / Britax	Convex (1800r)
G6101CE	309 x 178	ASHTREE M6101CE	Convex (1200r)
G610CE	309 x 178	ASHTREE M610CE / MAN / VW	Convex (1800r)
G613CE	347 x 196	ASHTREE M613CE / M0613CE / M6013CE-BLACK / Iveco / Ford Eurocargo / Seddon Atkinson	Convex (1800r)
G624CE	300 x 214	Steyr / KHD	Convex (1800r)
G6261CE	315 x 225	ASHTREE M6261CE	Convex (1200r)
G626CE	315 x 225	ASHTREE M626CE / Case / McCormick / Massey Ferguson / New Holland	Convex (1800r)
G627CE	321 x 182	Valmet	Convex (1800r)
G629CE	304 x 218	Deutz	Convex (1800r)
G640CE	310 x 205	ASHTREE M640CE / M640CEB	Convex (1200)
G701CE	375 x 190	ASHTREE M701CE / Ford Cargo / Leyland / DAF / Foden / Volvo / Plaxton	Convex (1800r)
G702CE	356 x 170	ASHTREE M702CE / M0702CE / Mercedes / Duple	Convex (1800r)
G703CE	396 x 208	ASHTREE M703CE / ERF / AWD / Foden	Convex (1800r)
G7141CE	362 x 174	ASHTREE M7141CE	Convex (1200r)
G714CE	362 x 174	ASHTREE M714CE / Volvo / Magirus Deutz / MAN / Iveco	Convex (1800r)
G714CEHc	362 x 174	ASHTREE M912CEH	Convex (1800r)
G714FE	362 x 174	ASHTREE M714FE	Flat
G725CE	381 X 182	ASHTREE M725CEB	Convex (1200r)
G800CE	415 x 220	ASHTREE M800CE / Scania	Convex (1800r)
G801CE	407 x 184	ASHTREE M0801CE / Mercedes	Convex (1800r)
G802CE	430 x 193	ASHTREE M802CE / Volvo	Convex (1800r)
G811CE	405 x 190	Irizar coach	Convex (1800r)
GW815CEH	430x200	Scania 4 series main mirror lens with backplate	convex (1800)
G820CE	402 X 209	ASHTREE M820CE	Convex (1800r)
G8231CE	409 x 209	ASHTREE M8231CE	Convex (1200)
GW927CEH	370 x 173	ASHTREE M927CEH	Convex (1200)



G200CE 177 x 125
ASHTREE M2000CE / M200CE
/ M2000CEA2
G200FE 177x 125
ASHTREE M2000FE / M200FE
/ M2000FEA2
Universal 7 inch x 5 inch

G209CE 203 x 130
ASHTREE M0209CE
Land Rover (new model)
Sherpa / Leyland DAF 200 / 400

G2231CEHc 185 x 95
ASHTREE M922CEH /
M922FEH / M923CEH /
M923FEH

G223CEHc 185 x 95
ASHTREE M902CEH /
M9021CEH / M902FEH
M903CEH /
M9031CEH / M903FEH



GW232CE
ASHTREE M925CEH/M926CE WIDE ANGLE LENS

G2371CEHc 173 x 176
ASHTREE M920CEH /
M9202CEH
G2371CEHc 173 x 176
ASHTREE M920CEH /
M9201CEH

G238CE 174 x 174
ASHTREE M238CE
G2381CE 174 x 174
ASHTREE M2381CE

G250CE 198 x 198
ASHTREE M250CE / M250CEB

G400CE 234 x 155
ASHTREE M400CE / DESMO 355
G4001CE 234 x 155
ASHTREE M4001CE / DESMO 365

G4101CE 236 x 152
ASHTREE M3101CE / M3101CEB /
M4101CE
G4102CE 236 x 152
ASHTREE M3102CE / M3102CEA1 /
M4102CE
G410CE 236 x 152
ASHTREE M310CE / M310CEB / M310CEA1 /
M410CE / M440CE / M440CEB / M440CEA2
G410FE 236 x 152
ASHTREE M310FE / M310FEB / M310FEA1

G422CE 229 x 147
LDV Convoy (left hand)

G423CE 230 x 150
LDV Convoy (right hand)



GW427CEL
Transit LHS 2000 on



GW427CER
Transit RHS 2000 on

G430CE 235 x 150
ASHTREE M430CE / M430CEB /
M430CEA1 / M430CESW



GW433CE
ASHTREE M925CEH/M926CE
MAIN LENS

G435CE 210 x 112
ASHTREE M435CE / M435CEA2

G4402CE 236 x 151
ASHTREE M4402CE / M4402CEB

G450CE 226 x 170
ASHTREE M450CE

G455CE 240 x 155
ASHTREE M455CE

G500CE 253 x 153
ASHTREE M5000CE / M500CE
G500FE 253 x 153
ASHTREE M5000FE / M500FE

G504CE 250 x 150
ASHTREE M504CE / M504CEA
Scania











G508CE 253 x 151
ASHTREE M0508CE / M0508CEA
Street sweepers / Renault Master / Traffic & 50

G520CE 291 x 170
ASHTREE M520CE
Mercedes / Duple
G5201CE 291 x 170
ASHTREE M5201CE

G528CE 281 x 201
ASHTREE M528CE
John Deere

G530CE 271 x 193
John Deere

G5361CEHc 258 x 175
ASHTREE M9021CEH / M9031CEH /
M9221CEH / M9231CEH
G536CEHc 258 x 175
ASHTREE M902CEH / M903CEH /
M922CEH / M923CEH







G801CE 407 x 184
ASHTREE M0801CE
Mercedes



G802CE 430 x 193
Ashtree M802CE
Volvo



G811CE 405 x 190
Irizar coach



GW815CEH
SCANIA 4 SERIES MAIN MIRROR




G820CE 402 x 209
ASHTREE M820CE



G8231CE 409 x 209
- ASHTREE M8231CEB



GW927CEH
ASHTREE M927CEH



The Ashtree range of heating elements are designed to cover the largest possible range of heated mirrors currently in use. All elements are 24 volt but 12 volt versions are also available in certain sizes.

Y2610	318 x 175mm	24Volt
Y2611	173 x 137mm	24Volt
Y2611-12	173 x 137mm	12Volt
Y2613	160 x 160mm	24Volt
Y2614	208 x 173mm	24Volt
Y2615	385 x 165mm	24Volt
Y2616	410 x 190mm	24Volt
Y2618	310 x 130mm	24Volt
Y2618-12	310 x 130mm	12Volt
Y2619	250 x 145mm	24Volt
Y2619-12	250 x 145mm	12Volt
Y2621	145 x 70mm	24Volt
Y2621-12	145 x 70mm	12Volt

MIRROR ARMS





The perfect mirror for any vehicle or machine would be devalued if the wrong mirror arm was chosen.

Ashtree have been manufacturing mirror arms since 1989 when the Desmo mirror arm business was acquired. We still manufacture those original mirror arms but the Ashtree range has since evolved and we have different sizes, styles and designs for many different applications. We also have the capacity to manufacture to customer specific designs.




Ashtree's S900 series of arms are designed to be both strong and flexible. The main body is moulded from a high impact polymer for greater strength, less vibration and a lower weight but the arms have two sets of opposing teeth made of zinc. This design feature helps to reduce wear between the two surfaces when the arms index. Most other mirror arms index at 45 degree increments, at best, but the S900 range adjust at 20 degree increments. This helps obtain the best possible viewing position for the mirror. Mounting the mirror couldn't be simpler. There are three M6 threaded holes set at either 45mm or 60mm centres or part number Y2089 can be used to mount them externally.


The S900 series of mirror arms are protected by UK patent GB2474435B




4 x 7 DIA HOLES SPACED AS SHOWN
MOUNTING BRACKET FOR
DESMO and S900 range 16mm ARMS




S901 & S901-12




S902



S903



S904




S905

These arms were originally manufactured by Desmo until the purchase of the Desmo business by Ashtree in 1989, when production was moved to Bradford. For many years they were the standard arm used in the UK bus industry and are still widely used on construction equipment and municipal vehicles. With an all zinc, diecast, body the 16mm diameter tube will adjust in 45 degree increments. The cap has three threaded holes so the arms can be adjusted to a new start point, 15 degrees on either side of the factory set position, to make it easier to get the best possible field of visibility. These arms are mounted on two M6 threaded holes at 60mm centres.




All dimensions in mm unless otherwise stated



4 x 7 DIA HOLES SPACED AS SHOWN


MOUNTING BRACKET FOR DESMO and S900 16mm ARMS

Y2089




LEYLAND LYNX

S1186




PLAXTON POINTER


S1187




S1190 & S1194




S1191




S1192 & S1192s




S1193




S1195




S1196




S1197



S1198 & S1198s




S1200



S1201


OPTARE




CONSTRUCTION EQUIPMENT

S1222


The Ashtree S1300 range of mirror arms use 19mm diameter tube and were originally designed with buses in mind. Such is their strength that we now manufacture them for use on construction equipment and other off highway machinery. The diecast indexing bracket indexes at 22.5 degrees, having 16 different positions in a full 360 degree circle. They mount onto vehicles on a tapered slide and fit onto part numbers Y2670-3 or Y2670-4. These, 3 and 4 hole, wedges have hole configurations which are the same as other popular models on the market. Both of the Ashtree wedges come complete with a fitted grub screw. If needed, this can be tightened to help prevent theft of the arms when in use.




Y2670-3 / Y2670-4




S1350




S1352




S1360



S1361




S1370




ARCOL 360 EQUIVALENT

S1372




ARCOL 150 EQUIVALENT

S1374



EAST LANCS


S1375



These arms available wired for heated mirrors


EAST LANCS

S1376




ALEXANDER DENNIS

S1377




WRIGHTBUS

S1378




WRIGHTBUS

S1381




WRIGHTBUS

S1382




WRIGHTBUS


S1384



S1385



S1387




S1397


Ashtree mirrors and arms are used by busbuilders around the world.



S1170 arm only
S1170X arm,
clamping piece
and M6 fixings




S1170 - S1170X




S1172 arm only
S1172X arm, clamping
piece and M6 fixings

S1172 - S1172X




S1202 - S1203



MOUNTING 2 x 8Ø HOLES @ 50mm crs

S1216



S1217



CONSTRUCTION
EQUIPMENT

S1400




CONSTRUCTION
EQUIPMENT

S1403




CONSTRUCTION
EQUIPMENT

S1406




Y2680


The Ashtree S1500 range of arms use parallel 28mm steel tubes to provide greater stability on the longer mirror arms widely used these days. The arms adjust at 72 degree increments but can be micro adjusted by means of Ashtree's unique system. Two screws are mounted in the main body of the arm, by loosening one, and then tightening the other, the arm can be set to the exact position required. There is also a screw set into the body that allows the arms to be locked into position to help prevent theft.




Y2672




S1500-64/44




S1500-78/63




S1550-16/55



S1550-28/52




S1550-33/52




WRIGHTBUS


S1550-61/45



S1550-66/37




S1550-73/69




WRIGHTBUS


S1550-76/45



S1550-79/52




S1550-83/64




WRIGHTBUS

S1550-85/70



S1550-86/52




S1551-16/50

The new Ashtree S1600 range of mirror arms are designed for any style of vehicle or machine that needs a more substantial arm than the S900 range of mirror arms. The S1600 series of mirror arms are protected by UK patent GB2474435B

S1600 Mirror Arms



They mount on 2 x M8 threaded holes at 60mm centres. For applications where the arms need to be removed a bolt on wedge, part number Y2242, can be added and then the arm will slide on and off of part numbers Y2670-3 or Y2680-4.




Y2670-3


Y2670-4




Y2242




S1601




S1602



S1603



S1604




S1605

The new Ashtree S1700 range of mirror arms are dual support mirror arms designed for heavy duty applications.

Where arms are required to be lifted lift off of the vehicle the Y3123 can be fitted to the arm. This will then mount onto the body mounted Y3124 4 hole bracket.

The S1700 series of mirror arms are protected by UK patent GB2474435B


S1700 Mirror Arms




Y3123




Y3124



S1750-61/45



S1750-16/55



KNOCK BACK ARM

S1700-64/44

S1630 Twin Independent Arms



- Twin independent arms with 19mm diameter steel tube.
- Reversible design of arm, can be mounted facing up or down.
- 16 points of adjustment at 22.5 degrees.
- Mounts on 2 x M8 holes at 60mm centres.
- They can also be mounted using the Y2242 wedge and either the Y2670-3 or Y2670-4 bracket.

S1650 Twin Arms



- Twin arms with 19mm diameter steel tube.
- Reversible design of arm, can be mounted facing up or down.
- 16 points of adjustment at 22.5 degrees.
- Mounts on 2 x M8 holes at 60mm centres.
- They can also be mounted using the Y2242 wedge and either the Y2670-3 or Y2670-4 bracket.

PLH60

Vehicle height indicator

Body:
rustproof glass filled nylon

Dimensions:
187mm x 180mm

Changeable numerals from 8ft to 19ft 11".



PLH50

VTG6A
heavyweight MOT plate holder

Body:
black powder coated steel

Dimensions:
201mm x 184mm

Complete with clear plastic window



PLH74S

Single pliable licence holder

Back & stem:
zinc plated steel



PLH74D

Double pliable licence holder

Back & stem:
zinc plated steel



PLH74T

Triple pliable licence holder

Back & stem:
zinc plated steel



PLH52

VTG6A
lightweight MOT plate holder

Body:
rustproof glass filled nylon

Dimensions:
187mm x 180mm

Complete with clear plastic envelope





This package contains one of the following.
Please see label for details.

Part no	Dimensions	Fits	Radius
MX430CER	240 x 155mm	10-20mm	300mm
MX430CEBR	240 x 155mm	16-28mm	300mm
MX440CER	245 x 162mm	10-20mm	1200mm
MX440CEBR	245 x 162mm	16-28mm	1200mm
MX4402CER	245 x 162mm	10-20mm	450mm
MX4402CEBR	245 x 162mm	16-28mm	450mm

New from Ashtree is premium packaging for premium products.

This packaging has been designed to enhance the product inside and comes complete with a euro slot hanger so that it can be hung on standard retail fittings.

Product information is displayed on an easy to read grid and part number labels are colour coded for ease of identification.

ASHTREE
VISION & SAFETY

are proud to supply:

LIEBHERR

bosal
Bosal-Sekura Industries

VDL

**WACKER
NEUSON**

**RENAULT
TRUCKS**
Defense

BUS & COACH
Multihog[®]

JCB

MULAG

Mecalac

MOL

Linde Material Handling
Linde

YANMAR

HYDREMA

PLAXTON

V. MARIOTTI[®]
SINCE 1920
COMPACT FORKLIFT SOLUTIONS

40 JAHRE **ATLAS**
WEYHAUSEN
RADLADER AUS LEIDENSCHAFT SEIT 1971

DIETEG

**ALEXANDER
DENNIS**

SENEBOGEN

HYSTER

Optimas[®]

FK

EGHOLM

KOMATSU

SCARAB
FAYAT GROUP

JLG[®]

GREEN MACHINES[™]
from Tennant Company

Yale[®]

SARRAZIN
CABINES
LA QUALITÉ AU SERVICE DE LA SÉCURITÉ

Optare

Ashtree would like to thank the customers above for permission to use their logos.

Ashtree Works, Brownroyd Street, Bradford, BD8 9AF, UK.

Tel: (0)1274 546732 • Fax: (0)1274 548525

Email: sales@avsuk.co

www.avsuk.co

© Ashtree Visions & Safety 2017

CERTIFICATION
UTAC
ISO 9001
UTAC CERAM

CERTIFICATION
UTAC
ISO 14001
UTAC CERAM